HP Jet Fusion 5200 Series 3D Printing Solutions





HP Jet Fusion 5200 Series 3D Printing Solutions

Unleash new growth and scale production with HP's most advanced plastics 3D printing solution

Ideal for mid-volume production environments

Learn more at

hp.com/go/3DPrinter5200



- Get quality—from fine detail and sharp edges to textures—and optimal yield at industrial-level OFF.
- Produce functional parts with bestin-class isotropy.
- Maximize your equipment uptime, with redundant components. preventive maintenance and support, and HP productivity services.



Breakthrough economics





 Best-in-class economics and productivity—ideal for production environments.



Expand into new applications and markets







• Address sustainability, with lower carbon footprint parts,³ and HP 3D materials offering industry-leading reusability.2














 Streamlined workflow and HP's most economical continuous 3D printing with automated materials mixing, enclosed processing station, and natural cooling unit.

Software solutions

HP 3D Center

HP SmartStream 3D Build Manager

Integration with industry-leading software partners




Achieve dimensional accuracy and repeatability that rivals industrial tooling—faster.

HP 3D Process Control



Flexibility and agility—without timeand labor-intensive injection molding fine-tuning steps.



Track, manage, and optimize your 3D operations with software that provides remote, real-time monitoring; preventive notifications; and historical data analysis.



Quickly and easily prepare your jobs for printing with all the elements you need.



Autodesk® Netfabb® with HP Workspace



Materialise Build Processor for HP Multi Jet Fusion technology



Siemens NX AM for HP Multi Jet Fusion technology

New materials and applications—new growth opportunities

Expand into new applications and markets with a growing portfolio of HP 3D materials that enable you to produce a variety of low-cost, quality parts—and address sustainability objectives with industry-leading reusability.²

HP 3D High Reusability PA 11—ductile,⁴ quality parts

Produce functional parts with impact resistance and ductility.⁴ This thermoplastic material, made from renewable sources,⁵ provides optimal mechanical properties and consistent performance at industry-leading surplus powder reusability.²

Certifications: Biocompatibility, ⁶ REACH, RoHS (for EU, Bosnia-Herzegovina, China, India, Japan, Jordan, Korea, Serbia, Singapore, Turkey, Ukraine, Vietnam), PAHs, Statement of Composition for Toy Applications





HP 3D High Reusability PA 12—strong, low cost, quality parts

Reduce total cost of ownership⁸ and produce strong, functional, detailed complex parts with HP 3D High Reusability PA 12, a robust thermoplastic that enables industry-leading surplus powder reusability.²

Certifications: Biocompatibility, ⁶ REACH, RoHS (for EU, Bosnia-Herzegovina, China, India, Japan, Jordan, Korea, Serbia, Singapore, Turkey, Ukraine, Vietnam), PAHs, Statement of Composition for Toy Applications, UL 94 and UL 746A Certification

BASF Ultrasint™ 3D TPU01 flexible, functional parts

Produce applications with flexible, elastomeric properties with this multipurpose TPU material* that achieves part accuracy with a balanced property profile.

This material is certified for the HP Jet Fusion 5200 Series 3D Printing Solutions.









HP 3D Printing materials portfolio selection guide

Usage and properties	HP 3D HR PA11	HP 3D HR PA12
Visual aids & presentation models		•
Functional prototyping	•	•
End-use parts	•	•
Dimensional stability	•	•
Functional rigid part (higher stiffness)	•	•
Ductile part (higher elongation at break)	•	•
Impact	•	•
HDT (heat deflection temperature)	•	•
Medical biocompatibility ⁶ (USP Class I-VI and US FDA guidance for Intact Skin Surface Devices)	•	•
Look and feel		•
Powder reusability ratio for stable performance/total cost of ownership (TCO)	•	•


For more information, visit: hp.com/go/3Dmaterials

HP recommended post-processing solutions

Girbau DY130 Dyeing Solution¹⁰

With 50 years of experience designing industrial equipment and in the dyeing equipment industry, Girbau offers a post-processing solution for dye finishing made for HP Jet Fusion 5200 Series 3D Printing Solutions.¹⁰





For more information, visit: coloringsystem.girbau.com

Maximize your equipment uptime with HP Jet Fusion 3D Solution Services

Whether you're looking to meet today's needs or tomorrow's dreams, let HP help you get the most out of your 3D printing experience with a range of support offerings including foundational care and lifecycle support, training opportunities, and productivity services that bring ideas to life and speed your journey to full digital manufacturing.



HP 3D Printing Care Services



HP 3D Printing Lifecycle Services



HP 3D Printing Training Services



HP Digital Manufacturing Productivity Services

Explore new opportunities to scale production and accelerate growth with expert guidance and support from HP Jet Fusion 3D Solution Services. Maximize uptime, enhance operator knowledge and skill sets through training, and work with HP's productivity experts to achieve your digital manufacturing objectives. Gain expedited access to HP's experts for fast troubleshooting and return to full operating condition in the shortest possible timeframe.

- Set your business up for success with HP Digital
 Manufacturing Productivity Services that evaluate site
 readiness and provide best practices for production ramp up.
- You're in control with **HP 3D Printing Training Services** that help your staff improve part design, print quality and yield, troubleshooting, and performance.
- Rely on HP experts to perform installations, upgrades, relocations, and more with HP 3D Printing Lifecycle Services, so you can focus on your core business.
- Leverage remote and onsite support options through HP 3D Printing Care Services. Return your equipment to full operating condition faster with optional four-hour response.



Learn more at hp.com/go/3DPrinter5200

Accelerate your move to HP 3D Printing with HP Integrated Financial Solutions

Leverage the latest technology to help accelerate your growth, profitability, and competitiveness.

Partner with HP Integrated Financial Solutions to help accelerate your time to value. Enjoy the flexibility to meet both your technology and financial plans while allocating your cash to other priorities.

Financing options include a low per-month payment for the HP Jet Fusion 5200 Series 3D Printing Solutions, enabling the flexibility to:

- Avoid a large up-front payment
- Align payments with revenue by using deferred or step payment options
- Simplify your administration: bundle hardware and services into a single agreement
- Change as your requirements evolve, refresh every 3–5 years

For more information, contact your HP or HP Integrated Financial Solutions representative.

Learn more at

hp.com/go/3DIntegratedFinancialSolutions

Technical specifications

HP Jet Fusion 5200 Series 3D Printers

Printer	Technology	HP Multi Jet Fusion technology	
performance	Effective building volume	380 x 284 x 380 mm (15 x 11.2 x 15 in)	
	Building speed ¹¹	Up to 5058 cm³/hr (309 in³/hr)	
	Layer thickness	0.08 mm (0.003 in)	
	Job processing resolution (x, y)	1200 dpi	
	Print resolution (x, y)	1200 dpi	
Dimensions (w x d x h)	Printer	2210 x 1268 x 1804 mm (87 x 50 x 71 in)	
	Shipping	2300 x 1325 x 2027 mm (91 x 52 x 80 in)	
	Operating area	3700 x 3700 x 2500 mm (146 x 146 x 99 in)	
Weight	Printer	880 kg (1940 lb)	
	Build Unit	140.5 kg (309.7 lb)	
	Shipping	1037.5 kg (2287 lb)	
Network ¹²	Gigabit Ethernet (10/100/1000Base-T), supporting the following standards: TCP/IP, DHCP (IPv4 only), TLS/SSL		
Processor and memory	Processor	Intel® Core™ i7 7770 (3.6 GHz, up to 4.2 GHz)	
	Memory	32 GB DDR4	
Hard disk	1TB HDD SED (AES-2	56 encrypted)	
	1TB SDD SED (AES-256 encrypted), TGC-OPAL 2.01 compliant		
Software	HP 3D Process Control, HP 3D Center, HP SmartStream 3D Build Manager, HP SmartStream 3D Command Center		
	Supported file formats	3MF, STL, OBJ, and VRML (v2.0)	
	Certified third-party software	Autodesk® Netfabb® with HP Workspace, Materialise Build Processor for HP Multi Jet Fusion technology, Siemens NX AM for HP Multi Jet Fusion technology	
Power	Consumption	12 kw ¹³	
	Requirements	380-415 V (line-to-line), 50 A max, 50/60 Hz 200-240 V (line-to-line), 80 A max, 50/60 Hz	
Certification	Safety	IEC 60950-1+A1+A2 compliant; United States and Canada (UL listed); EU (LVD and MD compliant, EN 60950-1, EN 12100-1, EN 60204-1, and EN 1010)	
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), Korea (KCC)	
	Environmental	REACH	
Warranty & service	One-year limited hard	lware warranty	
coverage included			

HP Jet Fusion 5200 Series 3D Processing Stations

Features	Automated mixing and loading with ultrasonic sieving and accessible sieve mesh; semi-manual unpacking; high-temperature unpacking; automated external storage tank; optional trained self-service deep-cleaning; optional cooling unit		
Dimensions (w x d x h)	Processing station	2990 x 934 x 2400 mm (117.7 x 36.8 x 94.5 in)	
	Shipping	2389 x 1176 x 2182 mm (94 x 46.3 x 85.9 in)	
	Operating area	3190 x 2434 x 2500 mm (125.6 x 95.8 x 99 in)	
Weight	Processing station	485 kg (1069 lb)	
	Loaded	724 kg (1596 lb)	
	Shipping	620 kg (1366 lb)	
Power	Consumption	2.6 kW (typical)	
	Requirements	Input voltage single pase 200-240 V (line-to-line) 19 A max, 50/60 Hz (line-to-neutral) 14 A max, 50 Hz	
Certification	Safety	UL 2011, UL508A, NFPA 70 / NFPA 79, C22.2 NO. 14-13 compliant; United States and Canada (UL listed); EU (MD compliant, EN 60204-1, EN 12100-1, EN 1127-1, EN-ISO 11201 and EN 1010)	
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), Korea (KCC)	
	Environmental	REACH	
Warranty & service coverage included	One-year limited hardware warranty		

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: hp.com/go/learnaboutsupplies.

For more information, please visit: hp.com/go/3DPrinter5200

hp.com/go/3DPrint

Connect with an HP 3D Printing expert or sign up for the latest news about HP Jet Fusion 3D Printing:

hp.com/go/3Dcontactus





Ordering information

Printer	3FW25A	HP Jet Fusion 5200 3D Printer
Accessories	3FW27A	HP Jet Fusion 5200 3D Processing Station
	3FW29A	HP Jet Fusion 5200 3D Build Unit
	4QG11A	HP Jet Fusion 5200 3D Automatic External Tank Starter Kit
	M0P54B	HP Jet Fusion 5200/4200 Series 3D External Tank 5-units Bundle
	5ZR21A	HP Jet Fusion 5200 3D Semaphore
	4QG10A	HP Jet Fusion 5200 3D Natural Cooling Unit
	5ZR22A	HP Jet Fusion 5200 3D Natural Cooling Unit Starter Kit
	5ZR19A	HP Jet Fusion 5210 3D Printer Installation Kit
	5ZR23A	HP Jet Fusion 5210 Pro 3D Printer Installation Kit
	5ZR20A	HP Jet Fusion 5210 3D Processing Station Installation Kit
	5ZR24A	HP Jet Fusion 5210 Pro 3D Processing Station Installation Kit
	3WL35A	HP Jet Fusion 5200/4200 Series 3D Material Unloading Kit ¹⁴
	3FW24A	HP Jet Fusion 5200/4200 Series 3D Material Loading 3-units Bundle ¹⁴
	UB8N4E	HP Long Term Consumable Cleaning Kit Service for HP Jet Fusion 5200 Series 3D Processing Station/Build Unit
	HP OfficeJet Pro 7740 Wide Format All-in- One Printer	For more information on availability in your region, please check with your local HP 3D Printing Specialist
Recommended third- party	Hovmand Forklift 5200	Please consult with your local HP 3D Printing Specialist
accessories	Girbau DY130 Dyeing Solution ¹⁰	Please consult with your local HP 3D Printing Specialist



- HP 3D powders and agents are not classified as health hazards²⁰
- Cleaner, more comfortable experience—enclosed printing system, and automatic powder management²⁰
- Minimizes waste due to industry-leading reusability of powder²
- Take-back program for printheads²¹

Find out more about HP sustainable solutions at hp.com/ecosolutions

- TPU material expected general availability end 2019.
- Industry-leading surplus powder reusability based on using HP 3D High Reusability PA 11 and PA 12 at recommended packing densities and compared to selective laser sintering (SLS) technology, offers excellent reusability without sacrificing mechanical performance Tested according to ASTM D638, ASTM D256, ASTM D790, and ASTM D648 and using a 3D scanner. Testing monitored using statistical process controls.

 Low carbon footprint per printed HP Multi Jet Fusion part for runs of 1500 or less when compared to injection molded parts. Data comes

- Low Carbon coupting ber pintled in Pollutine Fusion part for furth or 1500 or less winer compared to high composition and peer reviewed LCA study.
 Testing according to ASTM D638, ASTM D256, and ASTM D648 using HDT at different loads with a 3D scanner for dimensional accuracy. Testing monitored using statistical process controls.
 HP 3D High Reusability PA 11 powder is made with 100% renewable carbon content derived from castor plants grown without GMOs in arid areas that do not compete with food crops. HP 3D High Reusability PA 11 is made using renewable sources, and may be made together with certain non-renewable sources. A renewable resource is a natural organic resource that can be renewable sources. A renewable resource is a natural organic resource that can be renewable at the same speed in which it is consumed. Renewable stands for the number of carbon atoms in the chain coming from renewable sources (in this case, castor seeds) according to ASTM D6866.
- Based on HP internal testing. June 2017. HP 3D600/3D700/3D710 Fusing and Detailing Agents. HP 3D High Reusability PA 11 powder and HP 3D High Reusbility PA 12 powder meet USP Class I-VI and US FDA's guidance for Intact Skin Surface Devices. Tested according to USP Class I-VI including irritation, acute systemic toxicity, and implantation; cytoxicity per ISO 10993-5, Biological evaluation of medical devices—part 5: Tests for in vitro cytotoxicity; and sensitization per ISO 10993-10, Biological evaluation of medical devices—Part 10: Tests for irritation and skin sensitization. It is the responsibility of the customer to determine that its use of the fusing and detailing agents and powder is safe and technically suitable to the intended applications and consistent with the relevant regulatory requirements (including FDA requirements) applicable to the customer's final product. For more information, see https://px.ncm/go/biocompatibility.certificate/PA11 and
- hp.com/go/biocompatibility.certificate/PA12.
 Based on internal testing and public data for solutions on market as of April, 2016. Cost analysis based on: standard solution configuration price, supplies price, and maintenance costs recommended by manufacturer. Cost criteria: printing 1.4 full build chambers of parts per day/5 days per week over 1 year of 30 cm² parts at 10% packing density on Fast print mode using HP 3D High Reusability PA 12 material,
- and the powder reusability ratio recommended by manufacturer, and printing under certain build conditions and part geometries.

 8. Compared to selective laser sintering (SLS) and fused deposition modeling (FDM) technologies, HP Multi Jet Fusion technology can reduce the overall energy requirements needed to attain full fusing and reduce the system requirements for large, vacuum-sealed overs. In addition, HP Multi Jet Fusion technology uses less heating power than SLS systems for better material properties and material reuse rates, minimizing was
- rates, minimizing waste.

 Nothing herein should be construed as constituting an additional HP warranty. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services and/or in a written agreement between you and HP for such HP products and services. HP believes that the information herein is correct based on the current state of scientific knowledge and as the date of its publication, however, to the maximum extent permitted by Jaw HP EXPRESZY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT,

printheads **Original HP agents** V1Q63A HP 3D700 5L Fusing Agent V1064A HP 3D700 5L Detailing Agent Other supplies V1Q66A HP 3D600 Cleaning Roll Original HP 3D V1R10A HP 3D High Reusability PA 12 30L (13 kg) high reusability V1R16A HP 3D High Reusability PA 12 300L (130 kg) materials15 V1R34A HP 3D High Reusability PA 12 Production Material 300L (130 kg)1 V1R20A HP 3D High Reusability PA 12 1400L (600 kg) 14, 17, 18 V1R12A HP 3D High Reusability PA 11 30L (14 kg) V1R18A HP 3D High Reusability PA 11 300L (140 kg) V1R36A HP 3D High Reusability PA 11 Production Material 300L (140 kg)16 V1R24A HP 3D High Reusability PA 11 1700L (750 kg)^{14,17,18,19} **Materials Certified** BASE Ultrasint™ 3D TPU011 for HP Jet Fusion 3D Please consult with your local HP 3D Printing Specialist **Printing HP Jet Fusion 3D** UB6Y0E HP Ready-to-print Service for HP Jet Fusion **Solution Services** 5200 Series 3D Printing Solution UB8N0E HP Long Term Consumable Initial Maintenance Kit Service for HP Jet Fusion 5200 Series 3D UB8N1E HP Long Term Consumable Initial Maintenance Kit Service for HP Jet Fusion 5200 Series 3D **Processing Station** UB9V8E HP Production Care for HP Jet Fusion 5200 3D Printer UB9X6E HP Production Care for HP Jet Fusion 5200 3D **Built Unit** UB7R3E HP Production Care for HP Jet Fusion 5200 3D Processing Station UB4P2F HP Digital Manufacturing Site Readiness Assessment Tier 1 Service UB4P0E HP Digital Manufacturing Tech Transition Service for HP Jet Fusion 5200 Series 3D Printing UB8M8F HP 3D Part Quality Proficiency Training MERCHANTARII ITY AND/OR FITNESS FOR A PARTICI II AR PLIRPOSE (EVEN IF HP IS AWARE OF SLICH PLIRPOSE) WITH RESPECT TO ANY

INFORMATION PROVIDED. Except to the extent that exclusion is prevented by law, HP shall not be liable for technical or editorial errors or omissions contained herein and the information herein is subject to change without notice. HP shall not be liable for damages or losses of any kind or nature that result from the use of or reliance upon this information. The HP Jet Fusion 3D Materials have not been designed, manufactured or tested by HP for compliance with legal requirements for 3D printed parts and their uses and recipients are responsible for making their own determination as to the suitability of HP Jet Fusion 3D Materials for their purposes and uses, ensure compliance with applicable laws and regulations, and be aware that other safety or performance considerations may arise when using, handling or storing the product.

- 10. This product is only available in Europe and in the Americas. HP does not design, manufacture or sell the Girbau product or provide any warranty for the Girbau products. HP believes that the information herein is correct based on the current state of scientific knowledge and as the date of its publication, however, to the maximum extent permitted by law HP EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR INVEILED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF HP IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION PROVIDED. Except to the extent that exclusion is prevented by law, HP shall not be liable for technical or editorial errors or omissions, and damages or losses of any kind or nature that result from the use of or reliance upon this information, which is subject to divisions, and unappear to assess or any kind or indeed to the search of the clear beginning the suitability of Girbau product are responsible for determining the suitability of Girbau products with HP Jet Fusion 3D products, ensuring compliance with applicable laws and regulations, and being aware that other safety or performance considerations may arise when using, handling or storing the product.
- . Based on using HP 3D High Reusability PA 12, 0.11-mm (0.0043-in) layer thickness and 8.45 sec/layer
- 12. The HP Jet Fusion 30 Printing Solution should be connected to the HP Cloud in order to enable the correct functioning of the printer and to offer better support.
- 13. Average power for HP 3D High Reusabiility PA 11 and PA 12 in Balanced print mode

Original HP

F9K08A

HP 3D600 Printhead

- 13. Average power on the 30 might reasoning PATT and the 12 microbial reception mode.

 14. This product number is sold directly by HP.

 15. Liters refers to the materials container size and not the actual materials volume. Materials are measured in kilograms.

 16. Only compatible with the HP Jet Fusion S210 Pro/S210 3D Printing Solutions.
- Only compatible with the HP Jet Fusion 5210 Pro 3D Printing Solution.
- Additional material management equipment is required.
 Expected availability second half of 2019.
- 20. Compared to manual print retrieval process used by other powder-based technologies. The term "cleaner" does not refer to any indoor air quality requirements and/or consider related air quality regulations or testing that may be applicable. The HP powder and agents do not meet the criteria for classification as hazardous according to GHS and Regulation (EC) 1272/2008 as amended.

 21. Printing supplies eligible for recycling vary by printer. Visit hp.com/recycle to see how to participate and for HP Planet Partners program
- availability: program may not be available in your area. Where this program is not available, and for other consumables not included in the program, consult your local waste authorities on appropriate disposal.

© Copyright 2019 HP Development Company, L.P.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

